

Figure 3. Schematic Plan view map showing drill hole locations and significant intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases). 1g/t Au, 2 g/t Au, 1 g/t AuEq and 2 g/t AuEq shell projections generated from a Leapfrog model and sliced at 800mRL. Gold Equivalent (AuEq) grade calculated using a copper conversion factor of 1.79 ($[\text{gold grade (ppm)}] + [\text{copper grade (\%)} \times 1.79]$), using USD1300/oz Au, USD3.4lb Cu and 100% recovery.




Figure 4. Schematic cross section of RC616 and RC617 showing drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5, 1.0 and 5g/t Au shell projections generated from Leapfrog model.




Figure 5. Schematic cross section of RC614, RC620 and RC623 showing drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5, 1.0 and 5g/t Au shell projections generated from Leapfrog model.




Figure 6. Schematic cross section of RC618 showing drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5, 1.0 and 5g/t Au shell projections generated from leapfrog model.