

Figure 4. Schematic plan view map showing drill hole locations (Newcrest & Imperial) and significant Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases). 1g/t AuEq and 2g/t AuEq shell projections generated from a Leapfrog model and sliced at 800mRL. Gold equivalent (AuEq) grade calculated using a copper conversion factor of 1.79 ([gold grade (g/t)] + [copper grade (%) x 1.79]), using US\$1,300/oz Au, US\$3.40/lb Cu and 100% recovery.




Figure 5. Schematic cross section of RC631 showing Newcrest and Imperial drill holes and Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 1g/t Au, 2g/t Au, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.




Figure 6. Schematic cross section of RC625 and RC637 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 1g/t Au, 2g/t Au, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.




Figure 7. Schematic cross section of RC634 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 1g/t Au, 2g/t Au, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model.




Figure 8. Schematic cross section of RC626, RC633 and RC638 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 1g/t Au, 2g/t Au, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model.




Figure 9. Schematic cross section of RC627, RC628 and RC632 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 1g/t Au, 2g/t Au, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model.




Figure 16. Schematic plan view map showing Newcrest and Imperial drill hole locations and significant Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this release, and in prior Newcrest exploration releases). 1g/t Au and 2g/t Au shell projections generated from a Leapfrog Model shown in 3D. 1g/t AuEq and 2g/t AuEq shell projections generated from a Leapfrog model and sliced at 800mRL. Gold Equivalent (AuEq) grade calculated using a copper conversion factor of 1.79 ([gold grade (g/t)] + [copper grade (%) x 1.79]), using US\$1,300/oz Au, US\$3.40/lb Cu and 100% recovery.