Red Chris, British Columbia




Figure 4. Schematic plan view map of the Red Chris porphyry corridor spanning East Ridge, East Zone, Main Zone and Gully Zone showing drill hole locations (Newcrest & Imperial) and significant Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.3g/t Au, 1g/t Au, 0.3% Cu and 1% Cu shell projections generated from a Leapfrog[™] model.




Figure 5. Long section view (looking North West) of the Red Chris porphyry corridor showing drill hole locations and gold distribution.




Figure 6. Oblique schematic section view of the Red Chris porphyry corridor showing gold distribution. 0.3 g/t Au,1 g/t Au, 0.3% Cu and 1% Cu shell projections generated from the Leapfrog[™] model.




Figure 29. Schematic plan view map of the East Ridge showing drill hole locations (Newcrest & Imperial) and significant Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases). 0.3 g/t Au, 1 g/t Au, 0.3% Cu and 1% Cu shell projections generated from a Leapfrog[™] model.




Figure 30. Schematic cross section of RC787 (**Section Line 32N – as shown on Figure 29**) showing Newcrest and Imperial drill holes and Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.1 g/t Au, 0.5 g/t Au and 1 g/t Au shell projections generated from Leapfrog[™] model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.




Figure 31. Schematic cross section of RC786 and RC789/W (**Section Line 38N – as shown on Figure 29**) showing Newcrest and Imperial drill holes and Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.1 g/t Au, 0.5 g/t Au and 1 g/t Au shell projections generated from Leapfrog[™] model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.




Figure 32. Schematic cross section of RC795 (**Section Line 39N – as shown on Figure 29**) showing Newcrest and Imperial drill holes and Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.1g/t, 0.5g/t Au and 1g/t Au shell projections generated from Leapfrog[™] model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.




Figure 33. Schematic cross section of RC793 (**Section Line 40N** – **as shown on Figure 29**) showing Newcrest and Imperial drill holes and Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.1g/t, 0.5g/t Au and 1g/t Au shell projections generated from Leapfrog[™] model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.




Figure 34. Schematic cross section of RC797 and RC799 (**Section Line 41N – as shown on Figure 29**) showing Newcrest and Imperial drill holes and Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.1g/t, 0.5g/t Au and 1g/t Au shell projections generated from Leapfrog[™] model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.