

Drillhole data

Mount Polley Project, British Columbia, Canada

Reporting Criteria: Intercepts reported are downhole drill width (not true width). Gold and copper grades are reported to two significant figures. Samples are from core drilling which is HQ or NQ in diameter. Core is photographed and logged by the geology team before being cut. Half core HQ and NQ samples are prepared for assay and the remaining material is retained in the core lay down area for future reference. Each assay batch is submitted with duplicates and standards to monitor laboratory quality. Total depth (end of hole) is rounded to one decimal place for reporting purposes.

Hole ID	Hole Type	Easting (m)	Northing (m)	RL (m)	Total Depth (m)	Azimuth	Dip	From (m)	To (m)	Interval (m)	Cu (%)	Au (ppm)
SD-24-182	DD	591667	5823475	928	177	N/A	90	7.5	177	169.5	0.18	0.24
							Incl.	100	167.5	67.5	0.25	0.30
SD-24-183	DD	591682	5823404	929	171	N/A	90	7.5	167.5	160	0.42	0.43
							Incl.	105	167.5	62.5	0.75	0.82
							Incl.	105	123.7	18.7	1.67	1.57
SD-24-184	DD	591571	5823484	940	291	N/A	90	37.5	72.5	35	0.16	0.15
							and	205	291	86	0.17	0.21
SD-24-185	DD	591553	5823585	931	165	NA	90	6	165	159	0.29	0.35
							Incl.	18.9	65	46.1	0.40	0.48
							Incl.	127.5	165	37.5	0.38	0.56
SD-24-186	DD	591617	5823548	941	120	N/A	90	6.7	22.5	15.8	0.19	0.28
							and	90	112.5	22.5	0.35	0.46
SD-24-187	DD	591606	5823510	941	192	N/A	90	115	192	77	0.32	0.40
							Incl.	130	162.5	32.5	0.50	0.60
SD-24-188	DD	591567	5823532	938	192	274	66	15	192	177	0.17	0.14
							Incl.	65	77.5	12.5	0.32	0.25
SD-24-189	DD	591567	5823532	938	228	N/A	90	55	228	173	0.28	0.31
							Incl.	55	172.5	117.5	0.33	0.35
SD-24-190	DD	591656	5823429	929	252	N/A	90	3	252	249	0.33	0.39
							Incl.	3	112.5	109.5	0.51	0.54
SD-24-191	DD	591584	5823437	940	321	N/A	90	6	310	304	0.24	0.26
							Incl.	6	40	34	0.35	0.47
							Incl.	75	165	90	0.29	0.29
SD-24-192	DD	591735	5823363	928	249	N/A	90	4.5	249	244.5	0.26	0.37
							Incl.	4.5	101.3	96.8	0.39	0.31
							Incl.	162.5	242	79.5	0.26	0.60
SD-24-193	DD	591698	5823438	928	258	N/A	90	4.5	258	253.5	0.18	0.26
							Incl.	30	55	25	0.25	0.40
							Incl.	172.5	257.5	85	0.23	0.39
SD-24-194	DD	592144	5823255	962	354	270	45	220	257.5	37.5	0.51	0.44
							and	295	354	59	0.37	0.50
SD-24-195	DD	591644	5823460	928	231	N/A	90	4.5	231	226.5	0.28	0.29
							Incl.	17.5	82.5	65	0.40	0.30

SD-24-196	DD	591814	5823284	917	1043.7	155	75	27.5	922.5	895	0.26	0.32
							Incl.	27.5	370	342.5	0.42	0.48
							Incl.	235	370	135	0.53	0.65
SD-24-197	DD	591568	5823559	928	237	40	60	3.9	237	233.1	0.20	0.36
							Incl.	82.5	200	117.5	0.32	0.62
SD-24-198	DD	591668	5823370	928	495	N/A	90	37.5	477.5	440	0.25	0.30
							Incl.	103.3	127.5	24.2	0.38	0.57
							Incl.	312.5	355	42.5	0.36	0.51
							Incl.	427.5	477.5	50	0.35	0.57
SD-24-199	DD	591976	5823324	947	363		N/A	90	No Significant Intercepts			